

Amarok Specification



Commercial
Vehicles

Amarok Single Cab Specification



Commercial
Vehicles

Amarok Single Cab Specification

X = standard O = optional - = not available

New Amarok Specification	PR #	2.0 TDI 125kW 4Motion Amarok Single Cab
Engine		
Cylinders		4
Capacity (cm3)		1996
Output (kW @ r/min)		125 @ 3 500
Torque (Nm @ r/min)		405 @ 1 750 - 2 500
CO2 emissions (g/km)		187
Transmission		
6-speed manual		X
Performance		
Top speed (km/h)		180
Fuel consumption		
Combined		8.4
Body		
Black bumper in front	2JK	X
Black bumper in rear	2K2	X
Black exterior mirror housings and door handles	6FI	X
Black radiator grille	6KC	X
Black rear gate handle	6V3	X
Exterior mirrors, power-adjustable and power-folding	6XB	X
Heated rear window	8P1	X
Interior door handles in Black	6JC	X
Laminated windshield	4GF	X
Load support including protection frame on the rear cabin wall	2Y1	X
Mud flaps at front and rear	6N2	X
Tie-downs on the cargo area and rail for the side panel of the cargo area	6B2	X
Chassis		
255/70 R16 111T tires	H6Q	X

16-inch steel wheels 255/70 R16, spare wheel with original equipment tire	C2F	X
Differential lock in rear	1Y4	X
Part-time 4MOTION (2H, 4H, 4L)	0R3	X
Standard suspension system	1BA	X
Safety Equipment		
3-point belts, in addition height-adjustable in 1st row of seats	3QB	X
Driver and front passenger airbags with front passenger airbag deactivation	4UF	X
Electronic Stability Control	1AK	X
LED headlamps	8EX	X
Parking brake	UH1	X
Rear combination lamps	8SA	X
Side and curtain airbags	4X7	X
Warning signal and warning lamp for front seat belts not fastened	9P3	X
Without seat belt pretensioners in 2nd row of seats	4RA	X
Interior Equipment		
2 reading lights for driver and front passenger in overhead console	7N3	X
2 speakers	8RD	X
Vinyl floor covering	5AC	X
Driver seat with 6-way adjustment and front passenger seat with 4-way adjustment	3PN	X
Gearshift lever (manual transmission)	0G8	X
Gearshift/selector lever knob	6R0	X
Glove compartment	4Z1	X
Headliner (in Stone Gray)	6NT	X
Multi-function steering wheel	1XR	X
Particle filter	2V1	X
Roof grab handles, rigid grab handles, on A-pillar	5N7	X
Seat trim covers in fabric	N0A	X
Sun visor on driver and front passenger side	5XK	X
Without floor mats	0TA	X
Functional Equipment		
2 vehicle keys	8QM	X

Air conditioning system with manual control	9AP	X
AM/FM antenna	QV0	X
Anti-theft alarm system with interior monitoring, backup horn and towing protection	7AF	X
Central locking system with SAFELOCK, with radio remote control	4K3	X
Dashboard	4N0	X
Digital cockpit with 20.3-cm (8-inch) color screen	9Q1	X
Emission standard EU4	0GG	X
Headlight range control	8K1	X
Heating and fresh air system	9M0	X
Infotainment system with 25.6cm (10.1-inch) color screen	I8P	X
Intermittent windshield wiper control with rain sensor	8N3	X
LED cargo area lighting	9CW	X
Power window regulators in front (single cab)	4R0	X
Rear gate with rear gate latch	3RK	X
Removable trailer hitch, 7-pin	1D1, IP3	X
Dimensions / Capacities		
Fuel tank (l)		80
Wading depth (mm)		800
Length (mm)		5 350
Height (mm)		1 884
Width (mm) excluding side mirrors		1 910
Wheelbase (mm)		3 270
Turning circle (m)		12.93
Ground clearance (mm) - measured under the front axle		237
Approach / Departure angle (°) (excl. trailer hitch)		29 / 26
Ramp angle (°)		21
Load compartment length (mm)		2332
Load compartment width between wheelhouses (mm)		1227
Load compartment height of the side walls (mm)		529
Weights		
Roof load limit (kg) (Moving/Static)		85 / 350

Axle load limit front / rear (kg)	1 450 / 1 959
Kerb Mass (minimum) without driver and with fuel (kg)	1 947
Maximum payload capacity (kg) ~ based on minimum kerb mass	1 243
Gross Vehicle Mass (GVM) (kg)	3 190
Towing capacity: unbraked (kg)	750
Towing capacity: braked (kg)	3 500
Gross Combined Mass (GCM) (kg)	6 150

Guarantees	
3-year / 120 000 km manufacturer warranty	X

Disclaimer

Dimensions, capacities and abilities apply to standard vehicles.
Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.
The above information is effective as at January 2024 and is subject to change.

Classification:Internal and External CSD document class 8.3/ retention period: 15 years from creation	Classification:Internal and External CSD document class 8.3/ retention period: 15 years from creation
--	---

Amarok Life Specification



Commercial
Vehicles

New Amarok Specification	PR #	2.0 TDI 125kW 4Motion Life	2.0 TDI 125kW 4Motion Life Automatic	2.0 BiTDI 154kW 4Motion Life Automatic
Engine				
Cylinders		4	4	4
Capacity (cm3)		1996	1996	1996
Output (kW @ r/min)		125 @ 3 500	125 @ 3 500	154 @ 3 750
Torque (Nm @ r/min)		405 @ 1 750 - 2 500	405 @ 1 750 - 2 500	500 @ 1 750 - 2 000
CO2 emissions (g/km)		187	203	195
Transmission				
6-speed manual		X	-	-
6-speed automatic		-	X	-
10-speed automatic (shift by wire)		-	-	X
Performance				
Top speed (km/h)		180	180	180
Fuel consumption				
Combined		7.1	7.7	7.5
Body				
Black bumper in rear	2K2	X	X	X
Black radiator grille	6KC	X	X	X
Body-colored bumper in front	2JF	X	X	X
Body-colored exterior mirror housings and door handles	6FA	X	X	X
Body-colored rear gate handle	6V2	X	X	X
Side steps with chrome inserts	QT7	X	X	X
Dark-tinted (privacy glass) rear side windows and rear window	QL5	X	X	X
Exterior mirrors, power-adjustable and power-folding	6XB	X	X	X
Fuel filler door, non-lockable	2W0	X	X	X
Heated rear window	8P1	X	X	X
Interior door handles in Black	6JC	X	X	X
Laminated windshield	4GF	X	X	X

Mud flaps at front and rear	6N2	X	X	X
Tie-downs on the cargo area	6B0	X	X	X
Chassis				
255/70 R17 112T all-terrain tires	H2A	X	X	-
Alloy wheels "Combra" 7.5 x 17 all-terrain tires, spare wheel (steel) with original equipment tire	Z0Q	X	X	-
255/65 R18 all-terrain tires	84K	-	-	X
Alloy wheels "Amadora" 7.5 x 18, all-terrain tires, spare wheel (alloy wheel) with original equipment tire	Z8H	-	-	X
Differential lock in rear	1Y4	X	X	X
Part-time 4MOTION (2H, 4H, 4L)	0R3	X	X	X
Standard suspension system	1BA	X	X	X
Wheel locks	1PB	X	X	X
Safety Equipment				
3 head restraints in 2nd row of seats	3Q1	X	X	X
3-point belts in 2nd row of seats	4PP	X	X	X
3-point belts, in addition height-adjustable in 1st row of seats	3QB	X	X	X
Child seat anchors ISOFIX on outer rear seats, i-Size compatible	3B5	X	X	X
Driver and front passenger airbags with front passenger airbag deactivation	4UF	X	X	X
Electromechanical parking brake	UH2	X	X	X
Electronic Stability Control	1AK	X	X	X
LED front fog lamps	8WH	X	X	X
LED headlamps	8EX	X	X	X
Rear combination lamps	8SA	X	X	X
Top tether	3G3	X	X	X
Warning signal and warning lamp for front seat belts not fastened	9P3	X	X	X
Interior Equipment				
2 reading lights for driver and front passenger with glasses compartment in overhead console	7N2	X	X	X
3-seater bench in 2nd row of seats	3UH	X	X	X
6 speakers	8RL	X	X	X
Carpet floor covering	5AD	X	X	X
Center armrest in rear on 3-seater bench	6D1	X	X	X

Driver and front passenger seats with 8-way adjustment	3PQ	X	X	X
Driver seat with map pocket	4U6	X	X	X
Gearshift/selector lever knob	6R0	-	X	-
Gearshift/selector lever knob, leather	6R2	X	-	X
Glove compartment, illuminated	4Z5	X	X	X
Headliner (in Stone Gray)	6NT	X	X	X
Leather-wrapped multi-function steering wheel	2ZU	X	X	X
Particle filter	2V1	X	X	X
Roof grab handles on driver side and front passenger side, rigid grab handles on A-pillar	5N3	X	X	X
Seat trim covers in fabric Life	N0K	X	X	X
Sun visor on driver and front passenger side with illuminated vanity mirror	5XA	X	X	X
Rubber floor mats	0TG	X	X	X
Functional Equipment				
2 vehicle keys	8QM	X	X	X
Air conditioning system with manual control	9AP	X	X	X
AM/FM antenna	QV0	X	X	X
Central locking system with SAFELOCK, with radio remote control	4K3	X	X	X
Cruise control system with speed limiter	8T3	X	X	X
Digital cockpit with 20.3-cm (8-inch) color screen	9Q1	X	X	X
Headlight range control	8K1	X	X	X
Heating and fresh air system	9M0	X	X	X
Infotainment system with 25.6-cm (10.1-inch) color touch screen	I8P	X	X	X
Intermittent windshield wiper control with rain sensor	8N3	X	X	X
LED cargo area lighting	9CW	X	X	X
Park Distance Control in front and rear	7X2	X	X	X
Power windows in front and rear	4R1	X	X	X
Rear gate lockable via central locking system	3RQ	X	X	X
Rear view camera system	KA1	X	X	X
Removable trailer hitch, 7-pin	1D1, IP3	X	X	X
Dimensions / Capacities				
Fuel tank (l)		80	80	80

Wading depth (mm)	800	800	800
Length (mm)	5 350	5 350	5 350
Height (mm)	1 884	1 884	1 884
Width (mm)	1 910	1 910	1 910
Wheelbase (mm)	3 270	3 270	3 270
Turning circle (m)	12.93	12.93	12.93
Ground clearance (mm) - measured under the front axle	237	237	237
Approach / Departure angle (°) (excl. trailer hitch)	30 / 26	30 / 26	30 / 26
Ramp angle (°)	21	21	21
Load compartment length (mm)	1 624	1 624	1 624
Load compartment width between wheelhouses (mm)	1 227	1 227	1 227
Load compartment height of the side walls (mm)	529	529	529
Weights			
Roof load limit (kg) (Moving/Static)	85 / 350	85 / 350	85 / 350
Axle load limit front / rear (kg)	1 450 / 1 959	1 450 / 1 959	1 450 / 1 959
Kerb Mass (minimum) without driver and with fuel (kg)	2 069	2 092	2 106
Maximum payload capacity (kg) ~ based on minimum kerb mass	1 162	1 138	1 124
Gross Vehicle Mass (GVM) (kg)	3 230	3 230	3 230
Towing capacity: unbraked (kg)	750	750	750
Towing capacity: braked (kg)	3 500	3 500	3 500
Gross Combined Mass (GCM) (kg)	6 150	6 300	6 500
Guarantees			
3-year / 120 000 km manufacturer warranty	X	X	X
Disclaimer			

Dimensions, capacities and abilities apply to standard vehicles.
Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.
The above information is effective as at June 2024 and is subject to change.

Amarok Style Specification



Commercial
Vehicles

New Amarok Specification	PR #	2.0 BiTDI 154kW 4Motion Style Automatic
Engine		
Cylinders		4
Capacity (cm3)		1996
Output (kW @ r/min)		154 @ 3 750
Torque (Nm @ r/min)		500 @ 1 750 - 2 000
CO2 emissions (g/km)		195
Transmission		
10-speed automatic (shift by wire)		X
Performance		
Top speed (km/h)		180
Fuel consumption		
Combined		7.5
Body		
Black bumper in rear with chrome-plated styling elements	2K1	X
Body-colored bumper in front	2JF	X
Body-colored exterior mirror housings and door handles	6FA	X
Body-colored rear gate handle	6V2	X
Side steps with chrome inserts	QT8	X
Dark-tinted (privacy glass) rear side windows and rear window	QL5	X
Exterior mirrors, power-adjustable, heated and power-folding, with surround lighting	6XE	X
Fuel filler door, non-lockable	2W0	X
Heated rear window	8P1	X
Interior door handles in chrome	6JE	X
Laminated windshield made of insulating glass	4GL	X
Load compartment trim in plastic with 12-V outlet in side panel	3GP	X
Mud flaps at front and rear	6N2	X
Styling bar in chrome	IB2	X

Radiator grille with chrome bezel	6KA	X
Tie-downs on the cargo area	6B0	X
Chassis		
All-terrain tires 255/65 R18	84K	X
Alloy wheels "Amadora" 7.5 x 18, all-terrain tires, spare wheel (alloy wheel) with original equipment tire	Z8H	X
Part-time 4MOTION (2H, 4H, 4L)	0R3	X
Differential lock in rear	1Y4	X
Standard suspension system	1BA	X
Wheel locks	1PB	X
Safety Equipment		
3 head restraints in 2nd row of seats	3Q1	X
3-point belts in 2nd row of seats	4PP	X
3-point belts, in addition height-adjustable in 1st row of seats	3QB	X
Driver and front passenger airbags with front passenger airbag deactivation	4UF	X
Autonomous Emergency Braking with Pedestrian and Cyclist Monitoring	UZ1	X
Child seat anchors ISOFIX on outer rear seats, i-Size compatible	3B5	X
Electromechanical parking brake	UH2	X
Electronic Stability Control	1AK	X
LED front fog lamps	8WH	X
LED headlamps	8EX	X
Rear combination lamps	8SA	X
Tire Pressure Monitoring System (direct measurement)	7K3	X
Top tether	3G3	X
Warning signal and warning lamp for front seat belts not fastened	9P3	X
Interior Equipment		
10-way power-adjustable driver seat and 8-way adjustable front passenger seat	3PZ	X
2 reading lights for driver and front passenger with glasses compartment in overhead console	7N2	X
3-seater bench in 2nd row of seats	3UH	X
6 speakers	8RL	X
Automatic transmission selector lever with shift-by-wire technology	0G2	X
Carpet floor covering	5AD	X

Center armrest in rear on 3-seater bench	6D1	X
Driver seat with map pocket	4U6	X
Gearshift/selector lever knob, leather	6R2	X
Glove compartment, illuminated and lockable	4Z3	X
Headliner (in Stone Gray)	6NT	X
Leather-wrapped multi-function steering wheel	2ZU	X
Particle filter	2V1	X
Roof grab handles on driver side and front passenger side, rigid grab handles on A-pillar	5N3	X
Seat heater for both seats in cab, left and right individually controllable	4A3	X
Seat trim covers Style with ArtVelours microfleece insert	NOL	X
Sun visor on driver and front passenger side with illuminated vanity mirror	5XA	X
Velour floor mats	0TD	X
Functional Equipment		
1 USB charging socket on the interior rearview mirror	UF1	X
120-V/230-V outlet in rear center console and in cargo area	9Z2	X
2 vehicle keys	8QJ	X
2-zone Climatronic air conditioning system	KH4	X
AM/FM antenna	QV0	X
Automatic Post-Collision Braking System	7W1	X
Central locking system with keyless locking and starting system Keyless Access with SAFELOCK	4I6	X
Cruise control system with speed limiter	8T3	X
Premium dashboard in leather look (vinyl)	4N3	X
Digital cockpit with 31.2-cm (12.3-inch) color screen	9Q2	X
Headlight range control	8K1	X
Heating and fresh air system	9M0	X
High-beam control Light Assist	8Q1	X
Inductive charging feature	EK2	X
Infotainment system with 30.5-cm (12-inch) color touch screen for navigation	I8X	X
Intermittent windshield wiper control with rain sensor	8N3	X
LED cargo area lighting	9CW	X
Lane keeping system Lane Assist	7Y2	X

Park Distance Control in front and rear	7X2	X
Power windows in front and rear	4R1	X
Rear gate lockable via central locking system	3RQ	X
Rear view camera system, analog	KA1	X
Removable trailer hitch, 7-pin	1D1, IP3	X
Dimensions / Capacities		
Fuel tank (l)		80
Wading depth (mm)		800
Length (mm)		5 350
Height (mm)		1 884
Width (mm)		1 910
Wheelbase (mm)		3 270
Turning circle (m)		12.93
Ground clearance (mm) - measured under the front axle		235
Approach / Departure angle (°) (excl. trailer hitch)		30 / 26
Ramp angle (°)		21
Load compartment length (mm)		1 624
Load compartment width between wheelhouses (mm)		1 227
Load compartment height of the side walls (mm)		529
Weights		
Roof load limit (kg) (Moving/Static)		85 / 350
Axle load limit front / rear (kg)		1 490 / 1 959
Kerb Mass (minimum) without driver and with fuel (kg)		2 132
Maximum payload capacity (kg) ~ based on minimum kerb mass		1 148
Gross Vehicle Mass (GVM) (kg)		3 280
Towing capacity: unbraked (kg)		750
Towing capacity: braked (kg)		3 500
Gross Combined Mass (GCM) (kg)		6 500

Guarantees

3-year / 120 000 km manufacturer warranty	X
---	---

Disclaimer

Dimensions, capacities and abilities apply to standard vehicles.
Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.
The above information is effective as at January 2024 and is subject to change.

Classification:Internal and External
CSD document class 8.3/ retention period: 15 years from creation

Classification:Internal and External
CSD document class 8.3/ retention
period: 15 years from creation

Amarok PanAmericana Specification



Commercial
Vehicles

New Amarok Specification	PR #	2.0 BiTDI 154kW 4Motion PanAmericana Automatic
Engine		
Cylinders		4
Capacity (cm3)		1995
Output (kW @ r/min)		154 @ 3,750
Torque (Nm @ r/min)		500 @ 1,750-2,000
CO2 emissions (g/km)		195
Transmission		
10-speed automatic (shift by wire)		X
Performance		
Top speed (km/h)		180
Fuel consumption		
Combined		7.5
Body		
Black rear gate handle	6V3	X
Body-colored bumper in front, X-style	2JB	X
Dark Matte Gray bumper in rear	2K3	X
Dark-tinted (privacy glass) rear side windows and rear window	QL5	X
Exterior mirror housings and door handles in Dark Matte Gray	6FP	X
Exterior mirrors, power-adjustable, heated and power-folding, with surround lighting	6XE	X
Heated rear window	8P1	X
Interior door handles in chrome	6JE	X
Laminated windshield made of insulating glass	4GL	X
Load compartment trim in plastic with 12-V outlet in side panel	3GP	X
Mud flaps at front and rear	6N2	X
Powder-coated (Black) styling bar	IB4	X
Radiator grille with chrome bezel	6KA	X
Side steps	QT7	X

Tie-downs on the cargo area	6B0	X
Silver roof rails	3S1	X
Underbody cladding for engine and transfer case in steel, underbody cladding for fuel tank in plastic	1SB	X
Chassis		
4 alloy wheels "Amadora", painted Black, spare wheel (alloy rim) with original equipment tire	45P	X
All-terrain tires 255/65 R18	84K	X
Differential lock in rear	1Y4	X
Part-time 4MOTION (2H, 4H, 4L)	0R3	X
Standard suspension system	1BA	X
Wheel locks	1PB	X
Safety Equipment		
3 head restraints in 2nd row of seats	3Q1	X
3-point belts in 2nd row of seats	4PP	X
3-point belts, in addition height-adjustable in 1st row of seats	3QB	X
Advanced high-beam control Dynamic Light Assist for IQ.LIGHT LED matrix headlamps	8G1	X
Driver and front passenger airbags with front passenger airbag deactivation	4UF	X
Autonomous Emergency Braking Front Assist with Pedestrian and Cyclist Monitoring	UZ3	X
Child seat anchors ISOFIX on outer rear seats, i-Size compatible	3B5	X
Electromechanical parking brake	UH2	X
Electronic Stability Control and electromechanical brake booster	1AT	X
IQ.LIGHT LED matrix headlamps	8IT	X
LED front fog lamps	8WH	X
LED rear combination lamps	8SK	X
Without seat belt pretensioners in 2nd row of seats	4RA	X
Tire Pressure Monitoring System (direct measurement)	7K3	X
Top tether	3G3	X
Warning signal and warning lamp for front seat belts not fastened	9P3	X
Interior Equipment		
10-way power-adjustable driver and front passenger seats	3PK	X
2 reading lights for driver and front passenger with glasses compartment in overhead console	7N2	X
3-seater bench in 2nd row of seats	3UH	X

Automatic transmission selector lever with shift-by-wire technology	0G2	X
Carpet floor covering	5AD	X
Center armrest in rear on 3-seater bench	6D1	X
Driver seat with map pocket	4U6	X
Gearshift/selector lever knob, leather	6R2	X
Glove compartment, illuminated and lockable	4Z3	X
Headliner (in Ebony Black)	6NJ	X
Leather-wrapped multi-function steering wheel	2ZU	X
Particle filter	2V1	X
Roof grab handles on driver side and front passenger side, rigid grab handles on A-pillar	5N3	X
Seat heater for both seats in cab, left and right individually controllable	4A3	X
Seats in leather Cricket	N1D	X
Single-color ambient lighting, White	QQ1	X
Sound system "Harman Kardon" with 8 speakers, including subwoofer and 640 W total power output	8RM	X
Sun visor on driver and front passenger side with illuminated vanity mirror	5XA	X
Rubber floor mats	0TG	X
Functional Equipment		
1 USB charging socket on the interior rearview mirror	UF1	X
120-V/230-V outlet in rear center console and in cargo area	9Z2	X
2 vehicle keys	8QJ	X
2-zone Climatronic air conditioning system	KH4	X
AM/FM antenna	QV0	X
Area View	KA6	X
Automatic Post-Collision Braking System	7W1	X
Central locking system with keyless locking and starting system Keyless Access with SAFELOCK	4I6	X
Cruise control system with Adaptive Cruise Control ACC stop & go	8T7	X
Digital cockpit with 31.2-cm (12.3-inch) color screen	9Q2	X
Dynamic headlight range control	8K7	X
Emission standard EU4	0GG	X
Heating and fresh air system	9M0	X
High-beam control Light Assist	8Q1	X

Inductive charging feature	EK2	X
Infotainment system with 30.5-cm (12-inch) color screen for navigation	I8X	X
Intermittent windshield wiper control with rain sensor	8N3	X
Lane Assist; lane keeping and lane change system, with Side Assist and trailer support	79F	X
LED cargo area lighting	9CW	X
Navigation System	7Q1	X
Park Assist with Park Distance Control in front and rear, including Rear Traffic Alert	8A2	X
Power windows in front and rear	4R1	X
Premium dashboard in leather look (vinyl)	4N3	X
Rear gate lockable via central locking system	3RQ	X
Removable trailer hitch, 7-pin	1D1, IP3	X
Dimensions / Capacities		
Fuel tank (l)		80
Wading depth (mm)		800
Length (mm)		5 350
Height (mm)		1 884
Width (mm)		1 910
Wheelbase (mm)		3 270
Turning circle (m)		12.93
Ground clearance (mm) - measured under the front axle		235
Approach / Departure angle (°) (excl. trailer hitch)		30 / 26
Ramp angle (°)		21
Load compartment length (mm)		1 624
Load compartment width between wheelhouses (mm)		1 227
Load compartment height of the side walls (mm)		529
Weights		
Roof load limit (kg) (Moving/Static)		85 / 350
Axle load limit front / rear (kg)		1,490/ 1,959
Kerb mass (minimum) without driver and with fuel (kg)		2 175
Maximum payload capacity (kg) ~ based on minimum kerb mass		1 105
Gross Vehicle mass (GVM) (kg)		3 280

Towing capacity: unbraked (kg)	750
Towing capacity: braked (kg)	3 500
Gross Combined mass (GCM) (kg)	6 500

Guarantees	
3-year / 120 000 km manufacturer warranty	X

Disclaimer	
-------------------	--

Dimensions, capacities and abilities apply to standard vehicles.
Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.
The above information is effective as at January 2024 and is subject to change.

Classification:Internal and External
CSD document class 8.3/ retention period: 15 years from creation

Classification:Internal and External
CSD document class 8.3/ retention period: 15 years from creation

Amarok Aventura Specification



*Local specification differs from model shown



Commercial
Vehicles

New Amarok Specification	PR #	2.0 BiTDI 154kW 4Motion Aventura Automatic
Engine		
Cylinders		4
Capacity (cm3)		1995
Output (kW @ r/min)		154 @ 3,750
Torque (Nm @ r/min)		500 @ 1,750-2,000
CO2 emissions (g/km)		195
Transmission		
10-speed automatic (shift by wire)		X
Performance		
Top speed (km/h)		180
Fuel consumption		
Combined		8.4
Body		
Black bumper in rear with chrome-plated styling elements	2K1	X
Body-colored bumper in front, X-style	2JB	X
Body-colored rear gate handle	6V2	X
Chrome-plated exterior mirror housings and door handles	6FD	X
Dark-tinted (privacy glass) rear side windows and rear window	QL5	X
Exterior mirrors, power-adjustable, heated and power-folding, with surround lighting	6XE	X
Load compartment cover with power roll system and cargo area management system	3U7, 6L6	X
Heated rear window	8P1	X
Interior door handles in chrome	6JE	X
Laminated windshield made of insulating glass	4GL	X
Load compartment trim in plastic with 12-V outlet in side panel	3GP	X
Mud flaps at front and rear	6N2	X
Radiator grille with chrome bezel	6KA	X
Side steps with chrome inserts	QT8	X

Sports bar	IB1	X
Tie-downs on the cargo area	6B0	X
Silver roof rails	3S1	X
Underbody cladding for engine and transfer case in steel, underbody cladding for fuel tank in plastic	1SB	X
Chassis		
255/55 R20 110V tires	83A	X
4 alloy wheels "Bendigo" 8 x 20, spare wheel (alloy rim) with original equipment tire	40T	X
Part-time 4MOTION (2H, 4H, 4L)	0R3	X
Differential lock in rear	1Y4	X
Standard suspension system	1BA	X
Wheel locks	1PB	X
Safety Equipment		
3 head restraints in 2nd row of seats	3Q1	X
3-point belts in 2nd row of seats	4PP	X
3-point belts, in addition height-adjustable in 1st row of seats	3QB	X
Advanced high-beam control Dynamic Light Assist for IQ.LIGHT LED matrix headlamps	8G1	X
Driver and front passenger airbags with front passenger airbag deactivation	4UF	X
Autonomous Emergency Braking Front Assist with Pedestrian and Cyclist Monitoring	UZ3	X
Child seat anchors ISOFIX on outer rear seats, i-Size compatible	3B5	X
Electromechanical parking brake	UH2	X
Electronic Stability Control and electromechanical brake booster	1AT	X
IQ.LIGHT LED matrix headlamps	8IT	X
LED front fog lamps	8WH	X
LED rear combination lamps	8SK	X
Tire Pressure Monitoring System (direct measurement)	7K3	X
Top tether	3G3	X
Warning signal and warning lamp for front seat belts not fastened	9P3	X
Interior Equipment		
10-way power-adjustable driver and front passenger seats	3PK	X
2 reading lights for driver and front passenger with glasses compartment in overhead console	7N2	X
3-seater bench in 2nd row of seats	3UH	X

Automatic transmission selector lever with shift-by-wire technology	0G2	X
Carpet floor covering	5AD	X
Center armrest in rear on 3-seater bench	6D1	X
Driver seat with map pocket	4U6	X
Gearshift/selector lever knob, leather	6R2	X
Glove compartment, illuminated and lockable	4Z3	X
Headliner (in Ebony Black)	6NJ	X
Leather-wrapped multi-function steering wheel	2ZU	X
Particle filter	2V1	X
Roof grab handles on driver side and front passenger side, rigid grab handles on A-pillar	5N3	X
Seat heater for both seats in cab, left and right individually controllable	4A3	X
Seats in leather Savona	N2M	X
Single-color ambient lighting, White	QQ1	X
Sound system "Harman Kardon" with 8 speakers, including subwoofer and 640 W total power output	8RM	X
Sun visor on driver and front passenger side with illuminated vanity mirror	5XA	X
Velour floor mats (Premium with lettering "Aventura")	0TN	X
Functional Equipment		
1 USB charging socket on the interior rearview mirror	UF1	X
120-V/230-V outlet in rear center console and in cargo area	9Z2	X
2 vehicle keys	8QJ	X
2-zone Climatronic air conditioning system	KH4	X
AM/FM antenna	QV0	X
Area View	KA6	X
Automatic Post-Collision Braking System	7W1	X
Central locking system with keyless locking and starting system Keyless Access with SAFELOCK	4I6	X
Cruise control system with Adaptive Cruise Control ACC stop & go	8T7	X
Digital cockpit with 31.2-cm (12.3-inch) color screen	9Q2	X
Dynamic headlight range control	8K7	X
Emission standard EU4	0GG	X
Heating and fresh air system	9M0	X
High-beam control Light Assist	8Q1	X

Inductive charging feature	EK2	X
Infotainment system with 30.5-cm (12-inch) color screen for navigation	I8X	X
Intermittent windshield wiper control with rain sensor	8N3	X
Lane keeping system Lane Assist and lane change system Side Assist incl. trailer support	79F	X
LED cargo area lighting	9CW	X
Navigation System	7Q1	X
Park Assist including Park Distance Control in front and rear including Rear Traffic Alert	8A2	X
Power windows in front and rear	4R1	X
Premium dashboard in leather look (vinyl)	4N3	X
Rear gate lockable via central locking system	3RQ	X
Removable trailer hitch, 7-pin	1D1, IP3	X
Dimensions / Capacities		
Fuel tank (l)		80
Wading depth (mm)		800
Length (mm)		5 350
Height (mm)		1 884
Width (mm)		1 910
Wheelbase (mm)		3 270
Turning circle (m)		12.93
Ground clearance (mm) - measured under the front axle		234
Approach / Departure angle (°) (excl. trailer hitch)		30 / 26
Ramp angle (°)		21
Load compartment length (mm)		1 624
Load compartment width between wheelhouses (mm)		1 227
Load compartment height of the side walls (mm)		529
Weights		
Roof load limit (kg) (Moving/Static)		85 / 350
Axle load limit front / rear (kg)		1,490/ 1,785
Kerb Mass (minimum) without driver and with fuel (kg)		2 248
Maximum payload capacity (kg) ~ based on minimum kerb mass		942
Gross Vehicle Mass (GVM) (kg)		3 190
Towing capacity: unbraked (kg)		750

Towing capacity: braked (kg)	3 500
Gross Combined Mass (GCM) (kg)	6 400

Guarantees	
3-year / 120 000 km manufacturer warranty	X

Disclaimer	
Dimensions, capacities and abilities apply to standard vehicles. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions. The above information is effective as at January 2024 and is subject to change.	

Classification:Internal and External CSD document class 8.3/ retention period: 15 years from creation	Classification:Internal and External CSD document class 8.3/ retention period: 15 years from creation
--	---



Commercial
Vehicles